



NVC (4.2-227 m³/min / 150-8000 cfm)

Capacity Range: 150-8000 cfm (4.2-227 m³/min) Pressure Dew Point: 38°F (3°C) ISO Class 4 Cooling Method: Air-cooled and water-cooled Voltage: 230/1/60, 230/3/60, 460/3/60, 575/3/60, 230/1/50, 400/3/50 Maximum Pressure: 15-20 barg (220-300 psig) Maximum Ambient (air cooled): 120°F (49°C) Maximum Inlet Temperature: 120°F (49°C) Refrigerant: R-404A

Features

- Cycling design results in ultimate energy savings
- Stainless steel heat exchangers
- Consistent dew point control ensures dry air at all times
- Easy to use, advanced microprocessor
- Environmentally friendly refrigerant

Model Specifications



About Ingersoll Rand Inc. Ingersoll Rand Inc. (NYSE:IR), driven by an entrepreneurial spirit and ownership mindset, is dedicated to helping make life better for our employees, customers and communities. Customers lean on us for our technology-driven excellence in mission-critical flow creation and industrial solutions across 40+ respected brands where our products and services excel in the most complex and harsh conditions. Our employees develop customers for life through their daily commitment to expertise, productivity and efficiency. For more information, visit www.IRCO.com.