



Safety Data Sheet

Ingersoll Rand→Ultra EL™ Synthetic Rotary Coolant

Revision date : 2018.05.1

Page: 1/9

Version: 6.0

(30561549/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Ingersoll Rand® Ultra EL™ Synthetic Rotary Coolant

Recommended use of the chemical and restriction on use

Recommended use: lubricants additives

* The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of Ingersoll Rand's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in Ingersoll Rand's Sales Agreement.

Details of the supplier of the safety data sheet

Company:

Distributed by
Ingersoll Rand
800D Beatty St.
Davidson, NC 28036, USA

Telephone: +01 704-655-4000

Emergency telephone number

U.S. 24-hour Emergency #: 800-424-9300
Outside the U.S. Emergency #: +01 703-527-3887

Other means of identification

Synonyms: Not available. Use: Coolant

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

No need for classification according to GHS criteria for this product.

Label elements (Emergency overview)

Safety Data Sheet

Ingersoll Rand → Ultra EL™ Synthetic Rotary Coolant

Revision date : 2018.05.1
Version: 6.0

Page: 2/9
(30561549/SDS_GEN_US/EN)

Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Emergency overview

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Repeated exposure may cause skin dryness or cracking.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

This product is not regarded as hazardous under 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200.

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

This product is not regarded as hazardous under current OSHA Hazard Communication standard; CFR 29 Part 1910.1200.

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

If on skin:

Wash thoroughly with soap and water.

If irritation develops, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If irritation develops, seek medical attention.

If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Immediate medical attention required.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Safety Data Sheet

Ingersoll Rand → Ultra EL™ Synthetic Rotary Coolant

Revision date : 2018.05.1
Version: 6.0

Page: 3/9
(30561549/SDS_GEN_US/EN)

Further important symptoms and effects are so far not known.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:
water jet

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:
Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Keep people away and stay on the upwind side. Breathing protection required.

Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

No special measures necessary provided product is used correctly. Handle in accordance with good industrial hygiene and safety practice.

Safety Data Sheet

Ingersoll Rand → Ultra EL™ Synthetic Rotary Coolant

Revision date : 2018.05.1
Version: 6.0

Page: 4/9
(30561549/SDS_GEN_US/EN)

Protection against fire and explosion:
No special precautions necessary.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Protect from temperatures below: -10 °C
Protect from temperatures above: 40 °C

8. Exposure Controls/Personal Protection

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Hand protection:

Chemical resistant protective gloves

Eye protection:

Safety glasses with side-shields.

General safety and hygiene measures:

Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form:	liquid	
Odour:	mild	
Odour threshold:	No data available.	
Colour:	yellow to brownish	
pH value:	7	(measured with the undiluted substance)
Melting point:		not determined
boiling temperature:	> 250 °C	(1,013 hPa)
Flash point:	270 °C	(ASTM D92)
Flammability:	not flammable	
Lower explosion limit:		For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point.
Upper explosion limit:		For liquids not relevant for classification and labelling.
Autoignition:		not determined
Vapour pressure:		No applicable information available.
Density:	0.9828 g/cm ³	(15 °C) (ISO 2811-3)
Partitioning coefficient n-octanol/water (log Pow):		Study scientifically not justified.
Self-ignition temperature:	> 300 °C	(DIN 51794)
Thermal decomposition:	No decomposition if correctly stored and handled.	
Viscosity, kinematic:	48 mm ² /s	(40 °C) (ASTM D445)

Safety Data Sheet

Ingersoll Rand → Ultra EL™ Synthetic Rotary Coolant

Revision date : 2018.05.1

Page: 5/9

Version: 6.0

(30561549/SDS_GEN_US/EN)

Solubility in water:	sparingly soluble
Solubility (qualitative):	soluble
Other Information:	solvent(s): organic solvents, If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

Additional information:

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

not fire-propagating

Reactions with

water/air:

Reaction with: water

Flammable gases: no

Toxic gases: no

Corrosive gases: no

Smoke or fog: no

Peroxides: no

Reaction with: air

Flammable gases: no

Toxic gases: no

Corrosive gases: no

Smoke or fog: no

Peroxides: no

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Peroxides:

0.000 %

The product does not contain peroxides.

Possibility of hazardous reactions

Hazardous reactions:

No hazardous reactions when stored and handled according to instructions.

The product is chemically stable.

Conditions to avoid

Conditions to avoid:

Avoid extreme temperatures.

Incompatible materials

Substances to avoid:

strong oxidizing agents, strong bases, strong acids

Safety Data Sheet

Ingersoll Rand → Ultra EL™ Synthetic Rotary Coolant

Revision date : 2018.05.1

Page: 6/9

Version: 6.0

(30561549/SDS_GEN_US/EN)

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if correctly stored and handled.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Oral

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

Irritation / corrosion

Assessment of irritating effects:

Not irritating to eyes and skin.

Sensitization

Assessment of sensitization:

A sensitizing effect on particularly sensitive individuals cannot be excluded.

Chronic Toxicity/Effects

Genetic toxicity

Assessment of mutagenicity: Based on the ingredients, there is no suspicion of a mutagenic effect.

Carcinogenicity

Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Teratogenicity

Assessment of teratogenicity: No teratogenic effects reported.

Other Information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

Symptoms of Exposure

Safety Data Sheet

Ingersoll Rand → Ultra EL™ Synthetic Rotary Coolant

Revision date : 2018.05.1
Version: 6.0

Page: 7/9
(30561549/SDS_GEN_US/EN)

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Further important symptoms and effects are so far not known.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Persistence and degradability

Assessment biodegradation and elimination (H2O)

Biodegradable.

Bioaccumulative potential

Assessment bioaccumulation potential

Discharge into the environment must be avoided.

Mobility in soil

Assessment transport between environmental compartments

No data available.

Additional information

Add. remarks environm. fate & pathway:

At the present state of knowledge, no negative ecological effects are expected.

Other ecotoxicological advice:

The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

13. Disposal considerations

Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. Do not discharge into drains/surface waters/groundwater.

It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.

Container disposal:

Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

Dispose of in accordance with national, state and local regulations.

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Safety Data Sheet

Ingersoll Rand→Ultra EL™ Synthetic Rotary Coolant

Revision date : 2018.05.1
Version: 6.0Page: 8/9
(30561549/SDS_GEN_US/EN)**Sea transport**
IMDG

Not classified as a dangerous good under transport regulations

Air transport
IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations**Registration status:**

Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Not hazardous;

<u>CERCLA RQ</u>	<u>CAS Number</u>	<u>Chemical name</u>
1000 LBS	25619-56-1	Naphthalenesulfonic acid, dinonyl-, barium salt (2:1)
100 LBS	75-56-9	Propylene oxide

State regulations**CA Prop. 65:**

THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

NFPA Hazard codes:

Health : 0 Fire: 1 Reactivity: 0 Special:

HMIS III rating

Health: 0 Flammability: 1 Physical hazard: 0 (Essentially no hazard)

16. Other Information

SDS Prepared by:BASF NA Product Regulations
SDS Prepared on: 2018.05.1

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Ingersoll Rand® Ultra EL™ Synthetic Rotary Coolant is a registered trademark of BASF Corporation or BASF SE

Safety Data Sheet

Ingersoll Rand→Ultra EL™ Synthetic Rotary Coolant

Revision date : 2018.05.1

Page: 9/9

Version: 6.0

(30561549/SDS_GEN_US/EN)

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET