


EZ Series

Floor Supported Crane Systems



Model Code

Example: E 0000 00 000 - 00

Floor Support — E

Capacity in lbs — 0000

Bridge Length in feet — 00

Runway Length in feet — 000

Bridge Underclearance in feet — 00

Product Selection Guide

Kit Number	Capacity (lbs)	Bridge Length (feet)	Runway Length (feet)	Under Clearance (feet)	Number of Columns
E027505010-10	275	5	10	10	4
E027505010-12	275	5	10	12	4
E027505010-14	275	5	10	14	4
E027505015-10	275	5	15	10	4
E027505015-12	275	5	15	12	4
E027505015-14	275	5	15	14	4
E027505020-10	275	5	20	10	4
E027505020-12	275	5	20	12	4
E027505020-14	275	5	20	14	4
E027505030-10	275	5	30	10	6
E027505030-12	275	5	30	12	6
E027505030-14	275	5	30	14	6
E027505040-10	275	5	40	10	6
E027505040-12	275	5	40	12	6
E027505040-14	275	5	40	14	6
E027505050-10	275	5	50	10	8
E027505050-12	275	5	50	12	8
E027505050-14	275	5	50	14	8
E027505060-10	275	5	60	10	8
E027505060-12	275	5	60	12	8
E027505060-14	275	5	60	14	8
E027505070-10	275	5	70	10	8
E027505070-12	275	5	70	12	8
E027505070-14	275	5	70	14	8
E027505080-10	275	5	80	10	10
E027505080-12	275	5	80	12	10
E027505080-14	275	5	80	14	10
E027505090-10	275	5	90	10	10
E027505090-12	275	5	90	12	10
E027505090-14	275	5	90	14	10
E027505100-10	275	5	100	10	12
E027505100-12	275	5	100	12	12
E027505100-14	275	5	100	14	12
E027505125-10	275	5	125	10	14
E027505125-12	275	5	125	12	14
E027505125-14	275	5	125	14	14
E027508010-10	275	8	10	10	4
E027508010-12	275	8	10	12	4
E027508010-14	275	8	10	14	4
E027508015-10	275	8	15	10	4
E027508015-12	275	8	15	12	4
E027508015-14	275	8	15	14	4
E027508020-10	275	8	20	10	4
E027508020-12	275	8	20	12	4
E027508020-14	275	8	20	14	4
E027508030-10	275	8	30	10	4
E027508030-12	275	8	30	12	4
E027508030-14	275	8	30	14	4
E027508040-10	275	8	40	10	6
E027508040-12	275	8	40	12	6
E027508040-14	275	8	40	14	6
E027508050-10	275	8	50	10	6
E027508050-12	275	8	50	12	6

Kit Number	Capacity (lbs)	Bridge Length (feet)	Runway Length (feet)	Under Clearance (feet)	Number of Columns
E027508050-14	275	8	50	14	6
E027508060-10	275	8	60	10	8
E027508060-12	275	8	60	12	8
E027508060-14	275	8	60	14	8
E027508070-10	275	8	70	10	8
E027508070-12	275	8	70	12	8
E027508070-14	275	8	70	14	8
E027508080-10	275	8	80	10	8
E027508080-12	275	8	80	12	8
E027508080-14	275	8	80	14	8
E027508090-10	275	8	90	10	10
E027508090-12	275	8	90	12	10
E027508090-14	275	8	90	14	10
E027508100-10	275	8	100	10	10
E027508100-12	275	8	100	12	10
E027508100-14	275	8	100	14	10
E027508125-10	275	8	125	10	12
E027508125-12	275	8	125	12	12
E027508125-14	275	8	125	14	12
E027510010-10	275	10	10	10	4
E027510010-12	275	10	10	12	4
E027510010-14	275	10	10	14	4
E027510015-10	275	10	15	10	4
E027510015-12	275	10	15	12	4
E027510015-14	275	10	15	14	4
E027510020-10	275	10	20	10	4
E027510020-12	275	10	20	12	4
E027510020-14	275	10	20	14	4
E027510030-10	275	10	30	10	4
E027510030-12	275	10	30	12	4
E027510030-14	275	10	30	14	4
E027510040-10	275	10	40	10	6
E027510040-12	275	10	40	12	6
E027510040-14	275	10	40	14	6
E027510050-10	275	10	50	10	6
E027510050-12	275	10	50	12	6
E027510050-14	275	10	50	14	6
E027510060-10	275	10	60	10	6
E027510060-12	275	10	60	12	6
E027510060-14	275	10	60	14	6
E027510070-10	275	10	70	10	8
E027510070-12	275	10	70	12	8
E027510070-14	275	10	70	14	8
E027510080-10	275	10	80	10	8
E027510080-12	275	10	80	12	8
E027510080-14	275	10	80	14	8
E027510090-10	275	10	90	10	8
E027510090-12	275	10	90	12	8
E027510090-14	275	10	90	14	8
E027510100-10	275	10	100	10	10
E027510100-12	275	10	100	12	10
E027510100-14	275	10	100	14	10
E027510125-10	275	10	125	10	12

EZ Series Floor Supported Crane Systems

Form No. IRITS-0313-024 Rev 3

Product Selection Guide

Kit Number	Capacity (lbs)	Bridge Length (feet)	Runway Length (feet)	Under Clearance (feet)	Number of Columns
E027510125-12	275	10	125	12	12
E027510125-14	275	10	125	14	12
E027515010-10	275	15	10	10	4
E027515010-12	275	15	10	12	4
E027515010-14	275	15	10	14	4
E027515015-10	275	15	15	10	4
E027515015-12	275	15	15	12	4
E027515015-14	275	15	15	14	4
E027515020-10	275	15	20	10	4
E027515020-12	275	15	20	12	4
E027515020-14	275	15	20	14	4
E027515030-10	275	15	30	10	4
E027515030-12	275	15	30	12	4
E027515030-14	275	15	30	14	4
E027515040-10	275	15	40	10	6
E027515040-12	275	15	40	12	6
E027515040-14	275	15	40	14	6
E027515050-10	275	15	50	10	6
E027515050-12	275	15	50	12	6
E027515050-14	275	15	50	14	6
E027515060-10	275	15	60	10	6
E027515060-12	275	15	60	12	6
E027515060-14	275	15	60	14	6
E027515070-10	275	15	70	10	8
E027515070-12	275	15	70	12	8
E027515070-14	275	15	70	14	8
E027515080-10	275	15	80	10	8
E027515080-12	275	15	80	12	8
E027515080-14	275	15	80	14	8
E027515090-10	275	15	90	10	8
E027515090-12	275	15	90	12	8
E027515090-14	275	15	90	14	8
E027515100-10	275	15	100	10	10
E027515100-12	275	15	100	12	10
E027515100-14	275	15	100	14	10
E027515125-10	275	15	125	10	12
E027515125-12	275	15	125	12	12
E027515125-14	275	15	125	14	12
E027521010-10	275	21	10	10	4
E027521010-12	275	21	10	12	4
E027521010-14	275	21	10	14	4
E027521015-10	275	21	15	10	4
E027521015-12	275	21	15	12	4
E027521015-14	275	21	15	14	4
E027521020-10	275	21	20	10	4
E027521020-12	275	21	20	12	4
E027521020-14	275	21	20	14	4
E027521030-10	275	21	30	10	4
E027521030-12	275	21	30	12	4
E027521030-14	275	21	30	14	4
E027521040-10	275	21	40	10	6
E027521040-12	275	21	40	12	6
E027521040-14	275	21	40	14	6

Kit Number	Capacity (lbs)	Bridge Length (feet)	Runway Length (feet)	Under Clearance (feet)	Number of Columns
E027521050-10	275	21	50	10	6
E027521050-12	275	21	50	12	6
E027521050-14	275	21	50	14	6
E027521060-10	275	21	60	10	6
E027521060-12	275	21	60	12	6
E027521060-14	275	21	60	14	6
E027521070-10	275	21	70	10	8
E027521070-12	275	21	70	12	8
E027521070-14	275	21	70	14	8
E027521080-10	275	21	80	10	8
E027521080-12	275	21	80	12	8
E027521080-14	275	21	80	14	8
E027521090-10	275	21	90	10	8
E027521090-12	275	21	90	12	8
E027521090-14	275	21	90	14	8
E027521100-10	275	21	100	10	10
E027521100-12	275	21	100	12	10
E027521100-14	275	21	100	14	10
E027521125-10	275	21	125	10	12
E027521125-12	275	21	125	12	12
E027521125-14	275	21	125	14	12
E027530010-10	275	30	10	10	4
E027530010-12	275	30	10	12	4
E027530010-14	275	30	10	14	4
E027530015-10	275	30	15	10	4
E027530015-12	275	30	15	12	4
E027530015-14	275	30	15	14	4
E027530020-10	275	30	20	10	4
E027530020-12	275	30	20	12	4
E027530020-14	275	30	20	14	4
E027530030-10	275	30	30	10	4
E027530030-12	275	30	30	12	4
E027530030-14	275	30	30	14	4
E027530040-10	275	30	40	10	6
E027530040-12	275	30	40	12	6
E027530040-14	275	30	40	14	6
E027530050-10	275	30	50	10	6
E027530050-12	275	30	50	12	6
E027530050-14	275	30	50	14	6
E027530060-10	275	30	60	10	6
E027530060-12	275	30	60	12	6
E027530060-14	275	30	60	14	6
E027530070-10	275	30	70	10	8
E027530070-12	275	30	70	12	8
E027530070-14	275	30	70	14	8
E027530080-10	275	30	80	10	8
E027530080-12	275	30	80	12	8
E027530080-14	275	30	80	14	8
E027530090-10	275	30	90	10	8
E027530090-12	275	30	90	12	8
E027530090-14	275	30	90	14	8
E027530100-10	275	30	100	10	10
E027530100-12	275	30	100	12	10

Product Selection Guide

Kit Number	Capacity (lbs)	Bridge Length (feet)	Runway Length (feet)	Under Clearance (feet)	Number of Columns
E027530100-14	275	30	100	14	10
E027530125-10	275	30	125	10	12
E027530125-12	275	30	125	12	12
E027530125-14	275	30	125	14	12
E055005010-10	550	5	10	10	4
E055005010-12	550	5	10	12	4
E055005010-14	550	5	10	14	4
E055005015-10	550	5	15	10	4
E055005015-12	550	5	15	12	4
E055005015-14	550	5	15	14	4
E055005020-10	550	5	20	10	6
E055005020-12	550	5	20	12	6
E055005020-14	550	5	20	14	6
E055005030-10	550	5	30	10	6
E055005030-12	550	5	30	12	6
E055005030-14	550	5	30	14	6
E055005040-10	550	5	40	10	8
E055005040-12	550	5	40	12	8
E055005040-14	550	5	40	14	8
E055005050-10	550	5	50	10	8
E055005050-12	550	5	50	12	8
E055005050-14	550	5	50	14	8
E055005060-10	550	5	60	10	10
E055005060-12	550	5	60	12	10
E055005060-14	550	5	60	14	10
E055005070-10	550	5	70	10	10
E055005070-12	550	5	70	12	10
E055005070-14	550	5	70	14	10
E055005080-10	550	5	80	10	12
E055005080-12	550	5	80	12	12
E055005080-14	550	5	80	14	12
E055005090-10	550	5	90	10	12
E055005090-12	550	5	90	12	12
E055005090-14	550	5	90	14	12
E055005100-10	550	5	100	10	14
E055005100-12	550	5	100	12	14
E055005100-14	550	5	100	14	14
E055005125-10	550	5	125	10	16
E055005125-12	550	5	125	12	16
E055005125-14	550	5	125	14	16
E055008010-10	550	8	10	10	4
E055008010-12	550	8	10	12	4
E055008010-14	550	8	10	14	4
E055008015-10	550	8	15	10	4
E055008015-12	550	8	15	12	4
E055008015-14	550	8	15	14	4
E055008020-10	550	8	20	10	4
E055008020-12	550	8	20	12	4
E055008020-14	550	8	20	14	4
E055008030-10	550	8	30	10	6
E055008030-12	550	8	30	12	6
E055008030-14	550	8	30	14	6
E055008040-10	550	8	40	10	6

Kit Number	Capacity (lbs)	Bridge Length (feet)	Runway Length (feet)	Under Clearance (feet)	Number of Columns
E055008040-12	550	8	40	12	6
E055008040-14	550	8	40	14	6
E055008050-10	550	8	50	10	8
E055008050-12	550	8	50	12	8
E055008050-14	550	8	50	14	8
E055008060-10	550	8	60	10	8
E055008060-12	550	8	60	12	8
E055008060-14	550	8	60	14	8
E055008070-10	550	8	70	10	10
E055008070-12	550	8	70	12	10
E055008070-14	550	8	70	14	10
E055008080-10	550	8	80	10	10
E055008080-12	550	8	80	12	10
E055008080-14	550	8	80	14	10
E055008090-10	550	8	90	10	12
E055008090-12	550	8	90	12	12
E055008090-14	550	8	90	14	12
E055008100-10	550	8	100	10	12
E055008100-12	550	8	100	12	12
E055008100-14	550	8	100	14	12
E055008125-10	550	8	125	10	16
E055008125-12	550	8	125	12	16
E055008125-14	550	8	125	14	16
E055010010-10	550	10	10	10	4
E055010010-12	550	10	10	12	4
E055010010-14	550	10	10	14	4
E055010015-10	550	10	15	10	4
E055010015-12	550	10	15	12	4
E055010015-14	550	10	15	14	4
E055010020-10	550	10	20	10	4
E055010020-12	550	10	20	12	4
E055010020-14	550	10	20	14	4
E055010030-10	550	10	30	10	6
E055010030-12	550	10	30	12	6
E055010030-14	550	10	30	14	6
E055010040-10	550	10	40	10	6
E055010040-12	550	10	40	12	6
E055010040-14	550	10	40	14	6
E055010050-10	550	10	50	10	6
E055010050-12	550	10	50	12	6
E055010050-14	550	10	50	14	6
E055010060-10	550	10	60	10	8
E055010060-12	550	10	60	12	8
E055010060-14	550	10	60	14	8
E055010070-10	550	10	70	10	10
E055010070-12	550	10	70	12	10
E055010070-14	550	10	70	14	10
E055010080-10	550	10	80	10	10
E055010080-12	550	10	80	12	10
E055010080-14	550	10	80	14	10
E055010090-10	550	10	90	10	10
E055010090-12	550	10	90	12	10
E055010090-14	550	10	90	14	10

EZ Series Floor Supported Crane Systems

Form No. IRITS-0313-024 Rev 3

Product Selection Guide

Kit Number	Capacity (lbs)	Bridge Length (feet)	Runway Length (feet)	Under Clearance (feet)	Number of Columns	Kit Number	Capacity (lbs)	Bridge Length (feet)	Runway Length (feet)	Under Clearance (feet)	Number of Columns
E055010100-10	550	10	100	10	10	E055021030-14	550	21	30	14	4
E055010100-12	550	10	100	12	10	E055021040-10	550	21	40	10	6
E055010100-14	550	10	100	14	10	E055021040-12	550	21	40	12	6
E055010125-10	550	10	125	10	12	E055021040-14	550	21	40	14	6
E055010125-12	550	10	125	12	12	E055021050-10	550	21	50	10	6
E055010125-14	550	10	125	14	12	E055021050-12	550	21	50	12	6
E055015010-10	550	15	10	10	4	E055021050-14	550	21	50	14	6
E055015010-12	550	15	10	12	4	E055021060-10	550	21	60	10	6
E055015010-14	550	15	10	14	4	E055021060-12	550	21	60	12	6
E055015015-10	550	15	15	10	4	E055021060-14	550	21	60	14	6
E055015015-12	550	15	15	12	4	E055021070-10	550	21	70	10	8
E055015015-14	550	15	15	14	4	E055021070-12	550	21	70	12	8
E055015020-10	550	15	20	10	4	E055021070-14	550	21	70	14	8
E055015020-12	550	15	20	12	4	E055021080-10	550	21	80	10	8
E055015020-14	550	15	20	14	4	E055021080-12	550	21	80	12	8
E055015030-10	550	15	30	10	4	E055021080-14	550	21	80	14	8
E055015030-12	550	15	30	12	4	E055021090-10	550	21	90	10	8
E055015030-14	550	15	30	14	4	E055021090-12	550	21	90	12	8
E055015040-10	550	15	40	10	6	E055021090-14	550	21	90	14	8
E055015040-12	550	15	40	12	6	E055021100-10	550	21	100	10	10
E055015040-14	550	15	40	14	6	E055021100-12	550	21	100	12	10
E055015050-10	550	15	50	10	6	E055021100-14	550	21	100	14	10
E055015050-12	550	15	50	12	6	E055021125-10	550	21	125	10	12
E055015050-14	550	15	50	14	6	E055021125-12	550	21	125	12	12
E055015060-10	550	15	60	10	6	E055021125-14	550	21	125	14	12
E055015060-12	550	15	60	12	6	E055030010-10	550	30	10	10	4
E055015060-14	550	15	60	14	6	E055030010-12	550	30	10	12	4
E055015070-10	550	15	70	10	8	E055030010-14	550	30	10	14	4
E055015070-12	550	15	70	12	8	E055030015-10	550	30	15	10	4
E055015070-14	550	15	70	14	8	E055030015-12	550	30	15	12	4
E055015080-10	550	15	80	10	8	E055030015-14	550	30	15	14	4
E055015080-12	550	15	80	12	8	E055030020-10	550	30	20	10	4
E055015080-14	550	15	80	14	8	E055030020-12	550	30	20	12	4
E055015090-10	550	15	90	10	8	E055030020-14	550	30	20	14	4
E055015090-12	550	15	90	12	8	E055030030-10	550	30	30	10	4
E055015090-14	550	15	90	14	8	E055030030-12	550	30	30	12	4
E055015100-10	550	15	100	10	10	E055030030-14	550	30	30	14	4
E055015100-12	550	15	100	12	10	E055030040-10	550	30	40	10	6
E055015100-14	550	15	100	14	10	E055030040-12	550	30	40	12	6
E055015125-10	550	15	125	10	12	E055030040-14	550	30	40	14	6
E055015125-12	550	15	125	12	12	E055030050-10	550	30	50	10	6
E055015125-14	550	15	125	14	12	E055030050-12	550	30	50	12	6
E055021010-10	550	21	10	10	4	E055030050-14	550	30	50	14	6
E055021010-12	550	21	10	12	4	E055030060-10	550	30	60	10	6
E055021010-14	550	21	10	14	4	E055030060-12	550	30	60	12	6
E055021015-10	550	21	15	10	4	E055030060-14	550	30	60	14	6
E055021015-12	550	21	15	12	4	E055030070-10	550	30	70	10	8
E055021015-14	550	21	15	14	4	E055030070-12	550	30	70	12	8
E055021020-10	550	21	20	10	4	E055030070-14	550	30	70	14	8
E055021020-12	550	21	20	12	4	E055030080-10	550	30	80	10	8
E055021020-14	550	21	20	14	4	E055030080-12	550	30	80	12	8
E055021030-10	550	21	30	10	4	E055030080-14	550	30	80	14	8
E055021030-12	550	21	30	12	4	E055030090-10	550	30	90	10	8

Product Selection Guide

Kit Number	Capacity (lbs)	Bridge Length (feet)	Runway Length (feet)	Under Clearance (feet)	Number of Columns
E055030090-12	550	30	90	12	8
E055030090-14	550	30	90	14	8
E055030100-10	550	30	100	10	10
E055030100-12	550	30	100	12	10
E055030100-14	550	30	100	14	10
E055030125-10	550	30	125	10	12
E055030125-12	550	30	125	12	12
E055030125-14	550	30	125	14	12
E110005010-10	1100	5	10	10	4
E110005010-12	1100	5	10	12	4
E110005010-14	1100	5	10	14	4
E110005015-10	1100	5	15	10	4
E110005015-12	1100	5	15	12	4
E110005015-14	1100	5	15	14	4
E110005020-10	1100	5	20	10	6
E110005020-12	1100	5	20	12	6
E110005020-14	1100	5	20	14	6
E110005030-10	1100	5	30	10	6
E110005030-12	1100	5	30	12	6
E110005030-14	1100	5	30	14	6
E110005040-10	1100	5	40	10	8
E110005040-12	1100	5	40	12	8
E110005040-14	1100	5	40	14	8
E110005050-10	1100	5	50	10	10
E110005050-12	1100	5	50	12	10
E110005050-14	1100	5	50	14	10
E110005060-10	1100	5	60	10	10
E110005060-12	1100	5	60	12	10
E110005060-14	1100	5	60	14	10
E110005070-10	1100	5	70	10	12
E110005070-12	1100	5	70	12	12
E110005070-14	1100	5	70	14	12
E110005080-10	1100	5	80	10	12
E110005080-12	1100	5	80	12	12
E110005080-14	1100	5	80	14	12
E110005090-10	1100	5	90	10	14
E110005090-12	1100	5	90	12	14
E110005090-14	1100	5	90	14	14
E110005100-10	1100	5	100	10	14
E110005100-12	1100	5	100	12	14
E110005100-14	1100	5	100	14	14
E110005125-10	1100	5	125	10	18
E110005125-12	1100	5	125	12	18
E110005125-14	1100	5	125	14	18
E110008010-10	1100	8	10	10	4
E110008010-12	1100	8	10	12	4
E110008010-14	1100	8	10	14	4
E110008015-10	1100	8	15	10	4
E110008015-12	1100	8	15	12	4
E110008015-14	1100	8	15	14	4
E110008020-10	1100	8	20	10	4
E110008020-12	1100	8	20	12	4
E110008020-14	1100	8	20	14	4

Kit Number	Capacity (lbs)	Bridge Length (feet)	Runway Length (feet)	Under Clearance (feet)	Number of Columns
E110008030-10	1100	8	30	10	6
E110008030-12	1100	8	30	12	6
E110008030-14	1100	8	30	14	6
E110008040-10	1100	8	40	10	6
E110008040-12	1100	8	40	12	6
E110008040-14	1100	8	40	14	6
E110008050-10	1100	8	50	10	8
E110008050-12	1100	8	50	12	8
E110008050-14	1100	8	50	14	8
E110008060-10	1100	8	60	10	8
E110008060-12	1100	8	60	12	8
E110008060-14	1100	8	60	14	8
E110008070-10	1100	8	70	10	10
E110008070-12	1100	8	70	12	10
E110008070-14	1100	8	70	14	10
E110008080-10	1100	8	80	10	10
E110008080-12	1100	8	80	12	10
E110008080-14	1100	8	80	14	10
E110008090-10	1100	8	90	10	12
E110008090-12	1100	8	90	12	12
E110008090-14	1100	8	90	14	12
E110008100-10	1100	8	100	10	12
E110008100-12	1100	8	100	12	12
E110008100-14	1100	8	100	14	12
E110008125-10	1100	8	125	10	14
E110008125-12	1100	8	125	12	14
E110008125-14	1100	8	125	14	14
E110010010-10	1100	10	10	10	4
E110010010-12	1100	10	10	12	4
E110010010-14	1100	10	10	14	4
E110010015-10	1100	10	15	10	4
E110010015-12	1100	10	15	12	4
E110010015-14	1100	10	15	14	4
E110010020-10	1100	10	20	10	4
E110010020-12	1100	10	20	12	4
E110010020-14	1100	10	20	14	4
E110010030-10	1100	10	30	10	6
E110010030-12	1100	10	30	12	6
E110010030-14	1100	10	30	14	6
E110010040-10	1100	10	40	10	6
E110010040-12	1100	10	40	12	6
E110010040-14	1100	10	40	14	6
E110010050-10	1100	10	50	10	8
E110010050-12	1100	10	50	12	8
E110010050-14	1100	10	50	14	8
E110010060-10	1100	10	60	10	8
E110010060-12	1100	10	60	12	8
E110010060-14	1100	10	60	14	8
E110010070-10	1100	10	70	10	10
E110010070-12	1100	10	70	12	10
E110010070-14	1100	10	70	14	10
E110010080-10	1100	10	80	10	10
E110010080-12	1100	10	80	12	10

EZ Series Floor Supported Crane Systems

Form No. IRITS-0313-024 Rev 3

Product Selection Guide

Kit Number	Capacity (lbs)	Bridge Length (feet)	Runway Length (feet)	Under Clearance (feet)	Number of Columns
E110010080-14	1100	10	80	14	10
E110010090-10	1100	10	90	10	12
E110010090-12	1100	10	90	12	12
E110010090-14	1100	10	90	14	12
E110010100-10	1100	10	100	10	12
E110010100-12	1100	10	100	12	12
E110010100-14	1100	10	100	14	12
E110010125-10	1100	10	125	10	14
E110010125-12	1100	10	125	12	14
E110010125-14	1100	10	125	14	14
E110015010-10	1100	15	10	10	4
E110015010-12	1100	15	10	12	4
E110015010-14	1100	15	10	14	4
E110015015-10	1100	15	15	10	4
E110015015-12	1100	15	15	12	4
E110015015-14	1100	15	15	14	4
E110015020-10	1100	15	20	10	4
E110015020-12	1100	15	20	12	4
E110015020-14	1100	15	20	14	4
E110015030-10	1100	15	30	10	6
E110015030-12	1100	15	30	12	6
E110015030-14	1100	15	30	14	6
E110015040-10	1100	15	40	10	6
E110015040-12	1100	15	40	12	6
E110015040-14	1100	15	40	14	6
E110015050-10	1100	15	50	10	8
E110015050-12	1100	15	50	12	8
E110015050-14	1100	15	50	14	8
E110015060-10	1100	15	60	10	8
E110015060-12	1100	15	60	12	8
E110015060-14	1100	15	60	14	8
E110015070-10	1100	15	70	10	10
E110015070-12	1100	15	70	12	10
E110015070-14	1100	15	70	14	10
E110015080-10	1100	15	80	10	10
E110015080-12	1100	15	80	12	10
E110015080-14	1100	15	80	14	10
E110015090-10	1100	15	90	10	12
E110015090-12	1100	15	90	12	12
E110015090-14	1100	15	90	14	12
E110015100-10	1100	15	100	10	12
E110015100-12	1100	15	100	12	12
E110015100-14	1100	15	100	14	12
E110015125-10	1100	15	125	10	14
E110015125-12	1100	15	125	12	14
E110015125-14	1100	15	125	14	14
E110021010-10	1100	21	10	10	4
E110021010-12	1100	21	10	12	4
E110021010-14	1100	21	10	14	4
E110021015-10	1100	21	15	10	4
E110021015-12	1100	21	15	12	4
E110021015-14	1100	21	15	14	4
E110021020-10	1100	21	20	10	4

Kit Number	Capacity (lbs)	Bridge Length (feet)	Runway Length (feet)	Under Clearance (feet)	Number of Columns
E110021020-12	1100	21	20	12	4
E110021020-14	1100	21	20	14	4
E110021030-10	1100	21	30	10	6
E110021030-12	1100	21	30	12	6
E110021030-14	1100	21	30	14	6
E110021040-10	1100	21	40	10	6
E110021040-12	1100	21	40	12	6
E110021040-14	1100	21	40	14	6
E110021050-10	1100	21	50	10	8
E110021050-12	1100	21	50	12	8
E110021050-14	1100	21	50	14	8
E110021060-10	1100	21	60	10	8
E110021060-12	1100	21	60	12	8
E110021060-14	1100	21	60	14	8
E110021070-10	1100	21	70	10	10
E110021070-12	1100	21	70	12	10
E110021070-14	1100	21	70	14	10
E110021080-10	1100	21	80	10	10
E110021080-12	1100	21	80	12	10
E110021080-14	1100	21	80	14	10
E110021090-10	1100	21	90	10	12
E110021090-12	1100	21	90	12	12
E110021090-14	1100	21	90	14	12
E110021100-10	1100	21	100	10	12
E110021100-12	1100	21	100	12	12
E110021100-14	1100	21	100	14	12
E110021125-10	1100	21	125	10	14
E110021125-12	1100	21	125	12	14
E110021125-14	1100	21	125	14	14
E110030010-10	1100	30	10	10	6
E110030010-12	1100	30	10	12	6
E110030010-14	1100	30	10	14	6
E110030015-10	1100	30	15	10	6
E110030015-12	1100	30	15	12	6
E110030015-14	1100	30	15	14	6
E110030020-10	1100	30	20	10	6
E110030020-12	1100	30	20	12	6
E110030020-14	1100	30	20	14	6
E110030030-10	1100	30	30	10	8
E110030030-12	1100	30	30	12	8
E110030030-14	1100	30	30	14	8
E110030040-10	1100	30	40	10	10
E110030040-12	1100	30	40	12	10
E110030040-14	1100	30	40	14	10
E110030050-10	1100	30	50	10	12
E110030050-12	1100	30	50	12	12
E110030050-14	1100	30	50	14	12
E110030060-10	1100	30	60	10	14
E110030060-12	1100	30	60	12	14
E110030060-14	1100	30	60	14	14
E110030070-10	1100	30	70	10	16
E110030070-12	1100	30	70	12	16
E110030070-14	1100	30	70	14	16

Product Selection Guide

Kit Number	Capacity (lbs)	Bridge Length (feet)	Runway Length (feet)	Under Clearance (feet)	Number of Columns
E110030080-10	1100	30	80	10	18
E110030080-12	1100	30	80	12	18
E110030080-14	1100	30	80	14	18
E110030090-10	1100	30	90	10	20
E110030090-12	1100	30	90	12	20
E110030090-14	1100	30	90	14	20
E110030100-10	1100	30	100	10	22
E110030100-12	1100	30	100	12	22
E110030100-14	1100	30	100	14	22
E110030125-10	1100	30	125	10	22
E110030125-12	1100	30	125	12	22
E110030125-14	1100	30	125	14	22
E200002180-10	2000	21	80	10	18
E200002180-12	2000	21	80	12	18
E200002180-14	2000	21	80	14	18
E200005010-10	2000	5	10	10	4
E200005010-12	2000	5	10	12	4
E200005010-14	2000	5	10	14	4
E200005015-10	2000	5	15	10	4
E200005015-12	2000	5	15	12	4
E200005015-14	2000	5	15	14	4
E200005020-10	2000	5	20	10	6
E200005020-12	2000	5	20	12	6
E200005020-14	2000	5	20	14	6
E200005030-10	2000	5	30	10	8
E200005030-12	2000	5	30	12	8
E200005030-14	2000	5	30	14	8
E200005040-10	2000	5	40	10	10
E200005040-12	2000	5	40	12	10
E200005040-14	2000	5	40	14	10
E200005050-10	2000	5	50	10	12
E200005050-12	2000	5	50	12	12
E200005050-14	2000	5	50	14	12
E200005060-10	2000	5	60	10	14
E200005060-12	2000	5	60	12	14
E200005060-14	2000	5	60	14	14
E200005070-10	2000	5	70	10	16
E200005070-12	2000	5	70	12	16
E200005070-14	2000	5	70	14	16
E200005080-10	2000	5	80	10	18
E200005080-12	2000	5	80	12	18
E200005080-14	2000	5	80	14	18
E200005090-10	2000	5	90	10	20
E200005090-12	2000	5	90	12	20
E200005090-14	2000	5	90	14	20
E200005100-10	2000	5	100	10	22
E200005100-12	2000	5	100	12	22
E200005100-14	2000	5	100	14	22
E200005125-10	2000	5	125	10	24
E200005125-12	2000	5	125	12	24
E200005125-14	2000	5	125	14	24
E200008010-10	2000	8	10	10	4
E200008010-12	2000	8	10	12	4

Kit Number	Capacity (lbs)	Bridge Length (feet)	Runway Length (feet)	Under Clearance (feet)	Number of Columns
E200008010-14	2000	8	10	14	4
E200008015-10	2000	8	15	10	4
E200008015-12	2000	8	15	12	4
E200008015-14	2000	8	15	14	4
E200008020-10	2000	8	20	10	6
E200008020-12	2000	8	20	12	6
E200008020-14	2000	8	20	14	6
E200008030-10	2000	8	30	10	6
E200008030-12	2000	8	30	12	6
E200008030-14	2000	8	30	14	6
E200008040-10	2000	8	40	10	8
E200008040-12	2000	8	40	12	8
E200008040-14	2000	8	40	14	8
E200008050-10	2000	8	50	10	10
E200008050-12	2000	8	50	12	10
E200008050-14	2000	8	50	14	10
E200008060-10	2000	8	60	10	10
E200008060-12	2000	8	60	12	10
E200008060-14	2000	8	60	14	10
E200008070-10	2000	8	70	10	12
E200008070-12	2000	8	70	12	12
E200008070-14	2000	8	70	14	12
E200008080-10	2000	8	80	10	14
E200008080-12	2000	8	80	12	14
E200008080-14	2000	8	80	14	14
E200008090-10	2000	8	90	10	14
E200008090-12	2000	8	90	12	14
E200008090-14	2000	8	90	14	14
E200008100-10	2000	8	100	10	16
E200008100-12	2000	8	100	12	16
E200008100-14	2000	8	100	14	16
E200008125-10	2000	8	125	10	20
E200008125-12	2000	8	125	12	20
E200008125-14	2000	8	125	14	20
E200010010-10	2000	10	10	10	4
E200010010-12	2000	10	10	12	4
E200010010-14	2000	10	10	14	4
E200010015-10	2000	10	15	10	4
E200010015-12	2000	10	15	12	4
E200010015-14	2000	10	15	14	4
E200010020-10	2000	10	20	10	6
E200010020-12	2000	10	20	12	6
E200010020-14	2000	10	20	14	6
E200010030-10	2000	10	30	10	6
E200010030-12	2000	10	30	12	6
E200010030-14	2000	10	30	14	6
E200010040-10	2000	10	40	10	8
E200010040-12	2000	10	40	12	8
E200010040-14	2000	10	40	14	8
E200010050-10	2000	10	50	10	10
E200010050-12	2000	10	50	12	10
E200010050-14	2000	10	50	14	10
E200010060-10	2000	10	60	10	10

EZ Series Floor Supported Crane Systems

Form No. IRITS-0313-024 Rev 3

Product Selection Guide

Kit Number	Capacity (lbs)	Bridge Length (feet)	Runway Length (feet)	Under Clearance (feet)	Number of Columns
E200010060-12	2000	10	60	12	10
E200010060-14	2000	10	60	14	10
E200010070-10	2000	10	70	10	12
E200010070-12	2000	10	70	12	12
E200010070-14	2000	10	70	14	12
E200010080-10	2000	10	80	10	14
E200010080-12	2000	10	80	12	14
E200010080-14	2000	10	80	14	14
E200010090-10	2000	10	90	10	14
E200010090-12	2000	10	90	12	14
E200010090-14	2000	10	90	14	14
E200010100-10	2000	10	100	10	16
E200010100-12	2000	10	100	12	16
E200010100-14	2000	10	100	14	16
E200010125-10	2000	10	125	10	20
E200010125-12	2000	10	125	12	20
E200010125-14	2000	10	125	14	20
E200015010-10	2000	15	10	10	4
E200015010-12	2000	15	10	12	4
E200015010-14	2000	15	10	14	4
E200015015-10	2000	15	15	10	4
E200015015-12	2000	15	15	12	4
E200015015-14	2000	15	15	14	4
E200015020-10	2000	15	20	10	6
E200015020-12	2000	15	20	12	6
E200015020-14	2000	15	20	14	6
E200015030-10	2000	15	30	10	6
E200015030-12	2000	15	30	12	6
E200015030-14	2000	15	30	14	6
E200015040-10	2000	15	40	10	8
E200015040-12	2000	15	40	12	8
E200015040-14	2000	15	40	14	8
E200015050-10	2000	15	50	10	10
E200015050-12	2000	15	50	12	10
E200015050-14	2000	15	50	14	10
E200015060-10	2000	15	60	10	10
E200015060-12	2000	15	60	12	10
E200015060-14	2000	15	60	14	10
E200015070-10	2000	15	70	10	12
E200015070-12	2000	15	70	12	12
E200015070-14	2000	15	70	14	12
E200015080-10	2000	15	80	10	14
E200015080-12	2000	15	80	12	14

Kit Number	Capacity (lbs)	Bridge Length (feet)	Runway Length (feet)	Under Clearance (feet)	Number of Columns
E200015080-14	2000	15	80	14	14
E200015090-10	2000	15	90	10	14
E200015090-12	2000	15	90	12	14
E200015090-14	2000	15	90	14	14
E200015100-10	2000	15	100	10	16
E200015100-12	2000	15	100	12	16
E200015100-14	2000	15	100	14	16
E200015125-10	2000	15	125	10	20
E200015125-12	2000	15	125	12	20
E200015125-14	2000	15	125	14	20
E200021010-10	2000	21	10	10	4
E200021010-12	2000	21	10	12	4
E200021010-14	2000	21	10	14	4
E200021015-10	2000	21	15	10	6
E200021015-12	2000	21	15	12	6
E200021015-14	2000	21	15	14	6
E200021020-10	2000	21	20	10	6
E200021020-12	2000	21	20	12	6
E200021020-14	2000	21	20	14	6
E200021030-10	2000	21	30	10	8
E200021030-12	2000	21	30	12	8
E200021030-14	2000	21	30	14	8
E200021040-10	2000	21	40	10	10
E200021040-12	2000	21	40	12	10
E200021040-14	2000	21	40	14	10
E200021050-10	2000	21	50	10	12
E200021050-12	2000	21	50	12	12
E200021050-14	2000	21	50	14	12
E200021060-10	2000	21	60	10	14
E200021060-12	2000	21	60	12	14
E200021060-14	2000	21	60	14	14
E200021070-10	2000	21	70	10	16
E200021070-12	2000	21	70	12	16
E200021070-14	2000	21	70	14	16
E200021090-10	2000	21	90	10	20
E200021090-12	2000	21	90	12	20
E200021090-14	2000	21	90	14	20
E200021100-10	2000	21	100	10	22
E200021100-12	2000	21	100	12	22
E200021100-14	2000	21	100	14	22
E200021125-10	2000	21	125	10	24
E200021125-12	2000	21	125	12	24
E200021125-14	2000	21	125	14	24