

Ultra Coolant 润滑剂

Ultra Coolant 是一种基于经设计的聚乙二醇的冷却剂，旨在实现接触冷却式旋转螺杆空气压缩机的最高压缩机性能 - 即使在最高温度下也不例外。Ultra Coolant 独有的配方可实现长寿命以及出色的冷却性能，并可改善压缩机效率。和一般的石油冷却剂不同，Ultra Coolant 提供高热传导性，延长您压缩机及其部件(甚至包括冷却剂本身)的寿命。

特征

Ultra G Coolant 是行业领先的润滑剂，专门为帮助螺杆式压缩机在整个温度范围内保持峰值性能而设计，最小化工作成本 and 环境影响。

- 最长 8,000 小时的润滑剂运行时间、比大多数聚- α -烯烃 (PAO) 有更长的寿命，并且寿命是传统润滑剂的 8 倍
- 与传统以及其他合成流体相比，不起泡的性能显著减少了残余
- 无涂料工作节省了能源，并且提升系统的可靠性和寿命
- 热传导性提升 10%，延长压缩机寿命并改善效率
- 274°C (525°F) 的高闪点，高于大多数聚- α -烯烃 (PAO)、二酯及其他合成润滑剂，提升工作安全性
- 先进的冷却让压缩机能够以更低温更有效率地运转，即便是在高环境温度下也不例外
- 出色的生物降解能力和再循环能力

8,000小时后...





使用了Ultra G Coolant 润滑剂



没有使用Ultra G Coolant 润滑剂

模型规格

Bottle Size	OEM Part #
5L	47730713001
20L	47730714001
208L	47730715001



About Ingersoll Rand Inc. Ingersoll Rand Inc. (NYSE:IR), driven by an entrepreneurial spirit and ownership mindset, is dedicated to helping make life better for our employees, customers and communities. Customers lean on us for our technology-driven excellence in mission-critical flow creation and industrial solutions across 40+ respected brands where our products and services excel in the most complex and harsh conditions. Our employees develop customers for life through their daily commitment to expertise, productivity and efficiency. For more information, visit www.IRCO.com.