

Version:	1.0
Revision Date:	2018.05.1
Print Date:	2018.05.1

# SECTION1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name: IR ALL SEASON

Product Use Description: Lubricant

Company:

Distributor

INGERSOLL RAND 800 BEATY ST DAVIDSON, NC

28036

United States of America

Telephone: +01 704-655-4000

Emergency telephone number: U.S. 24-Hours Emergency #: 800-424-9300

Outside U.S. Emergency #: +01 703-527-3887

Prepared by <u>Product Safety Department</u>

(US) +1 866-430-2775

# **SECTION 2. HAZARDS IDENTIFICATION**

# **GHS-Classification**

Acute toxicity	Category 5	Dermal
Skin sensitisation	Category 1	
Acute aquatic toxicity	Category 3	
Chronic aquatic toxicity	Category 3	

## **GHS-Labelling**



Version:	1.0
Revision Date:	2018.05.1
Print Date:	2018.05.1

#### **Hazard statements**

# **Warning**

May be harmful in contact with skin. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

## **Precautionary statements**

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray., Contaminated work clothing should not be allowed out of the workplace., Avoid release to the environment., Wear protective gloves.

IF ON SKIN: Wash with plenty of water., Specific treatment (see supplemental first aid instructions on this label)., If skin irritation or rash occurs: Get medical advice/ attention., Take off contaminated clothing and wash it before reuse.

Dispose of contents/ container to an approved waste disposal plant.

#### **SECTION 3.COMPOSITION/INFORMATION ON INGREDIENTS**

**Hazardous components** 

nazaraeae cempenente		
Chemical Name	CAS-No.	Concentration [%]
bis(tridecyl) adipate	16958-92-2	>=60 - <= 100
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	>=1 - < 5
N-1-naphthylaniline	90-30-2	>=0,1 - < 1
triphenyl phosphate	115-86-6	>=0,1 - < 1
diphenylamine	122-39-4	>=0.1 - < 1

#### **SECTION 4. FIRST AID MEASURES**

#### First aid procedures

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If not breathing, give artificial respiration.

Call a physician or poison control centre immediately.

If breathing is difficult, give oxygen.

Keep respiratory tract clear.

Skin contact : Wash off with soap and plenty of water.

If symptoms persist, call a physician.

Take off contaminated clothing and wash before reuse.

Eye contact : If eye irritation persists, consult a specialist.

Ingestion : Rinse mouth with water.

If victim is fully conscious, give a cupful of water.

DO NOT induce vomiting unless directed to do so by a physician or poison control center.

Never give anything by mouth to an unconscious person.

Do not give milk or alcoholic beverages.

Obtain medical attention.

## Notes to physician

Symptoms Sensitisation

Treatment For specialist advice physicians should contact the Poisons Information Service.

Version:	1.0
Revision Date:	2018.05.1
Print Date:	2018.05.1

#### **SECTION 5. FIREFIGHTING MEASURES**

Flammable properties

Lower explosion limit : Remarks: No data available

Upper explosion limit : Remarks: No data available

Protective equipment and precautions for firefighters

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding

environment.

Hazardous decomposition : <u>Type:</u>

products No hazardous decomposition products are known.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into

drains.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance

with local regulations.

Specific hazards during

firefighting

Burning produces irritant fumes.

Burning produces noxious and toxic fumes.

Special protective equipment for

firefighters

Advice on protection against fire

and explosion

Wear full protective clothing and self-contained breathing apparatus.

Normal measures for preventive fire protection.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Environmental precautions : No special environmental precautions required.

Methods for containment / Methods for cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Handling

Advice on safe handling : For personal protection see section 8.

No special handling advice required.

Advice on protection against fire

and explosion

Normal measures for preventive fire protection.

**Storage** 

Requirements for storage areas

and containers

Keep container tightly closed in a dry and well-ventilated place.

MSDS Number: 000000036132

3 of 11

Version:	1.0
Revision Date:	2018.05.1
Print Date:	2018.05.1

Advice on common storage : No special restrictions on storage with other products.

Other data : No decomposition if stored and applied as directed.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Hand protection : Solvent-resistant gloves (butyl-rubber)

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Appearance**

Form : liquid
Colour : straw
Odour : mild

ester-like

## Safety data

Ignition temperature : Remarks: No data available

Lower explosion limit : No data available

Upper explosion limit : No data available

pour point : -40 °C

Boiling point/boiling range : No data available

Vapour pressure : No data available

Specific Gravity : 0,92

Water solubility :

Version:	1.0
Revision Date:	2018.05.1
Print Date:	2018.05.1

negligible

Partition coefficient: n-

octanol/water

No data available

Solubility in other solvents : No data available

Viscosity, kinematic : No data available

Relative vapour density : No data available

Evaporation rate : No data available

# **SECTION 10. STABILITY AND REACTIVITY**

Conditions to avoid : Contamination

Materials to avoid : Strong oxidizing agents

Hazardous decomposition

products

Type:

No hazardous decomposition products are known.

Note : No decomposition if stored and applied as directed.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

Sensitisation : Remarks: May cause sensitisation by skin contact.

No data available

Component:

bis(tridecyl) adipate : Acute oral toxicity
16958-92-2 LD50 Rat

Dose: > 5.000 mg/kg

Acute dermal toxicity

LD50 Rabbit

Dose: > 2.000 mg/kg

Version:	1.0
Revision Date:	2018.05.1
Print Date:	2018.05.1

#### STOT - repeated exposure

Application Route: Skin contact

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## Component:

Benzenamine, N-phenyl-, reaction

products with 2,4,4trimethylpentene 68411-46-1

Acute oral toxicity

LD50 Rat

Dose: > 2.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity

LD50 Rat

Dose: > 2.000 mg/kg

Skin irritation

Rabbit

Result: No skin irritation

Method: OECD Test Guideline 404

Eye irritation

Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Sensitisation

Guinea pig

Classification: Did not cause sensitisation on laboratory animals.

Method: OECD Test Guideline 406

## Component:

N-1-naphthylaniline

90-30-2

Acute oral toxicity

LD50 Rat Dose: 1.625 mg/kg

Acute dermal toxicity

LD50 Dermal Rabbit Dose: > 5.000 mg/kg

Skin irritation

Rabbit

Result: No skin irritation Method: Draize Test

Eye irritation

Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Sensitisation

Maximisation Test (GPMT) Guinea pig

Version:	1.0
Revision Date:	2018.05.1
Print Date:	2018.05.1

Classification: May cause sensitisation by skin contact. Result: May cause sensitisation by skin contact.

Sensitisation Patch Test Human

Classification: May cause sensitisation by skin contact. Result: May cause sensitisation by skin contact.

STOT - repeated exposure Application Route: Oral Target Organs: Liver, Kidney

Assessment: May cause damage to organs through prolonged or repeated exposure.

Component:

triphenyl phosphate

115-86-6

Acute oral toxicity

LD50 Rat

Dose: > 2.000 mg/kg

Acute dermal toxicity

LD50 Rabbit

Dose: > 7.900 mg/kg

Acute inhalation toxicity

LC50 Rat

Exposure time: 1 h Dose: > 200 mg/l

Skin irritation

Rabbit

Result: No skin irritation

Method: OECD Test Guideline 404

Exposure time: 4 h

Eye irritation

Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Sensitisation

Maximisation Test (GPMT) Guinea pig

Classification: Did not cause sensitisation on laboratory animals.

Method: OECD Test Guideline 406

STOT - repeated exposure

Application Route: Oral

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Component:

diphenylamine 122-39-4

Acute oral toxicity LD50 Rat

Dose: 2,72 mg/kg

Acute dermal toxicity

LD50 Rabbit

Dose: > 2.000 mg/kg

Version:	1.0
Revision Date:	2018.05.1
Print Date:	2018.05.1

Skin irritation

Rabbit

Result: Mild skin irritation

Eye irritation Rabbit

Result: Mild eye irritation

Sensitisation

Guinea pig

Result: Does not cause skin sensitisation.

Repeated dose toxicity

OralMouse NOEL: 1,7 mg/kg

Lowest observed effect level: 93,8 mg/kg

Repeated dose toxicity

OralMouse NOEL: 2,1 mg/kg

Lowest observed effect level: 107 mg/kg

# **SECTION 12. ECOLOGICAL INFORMATION**

Biodegradability No data available Bioaccumulation No data available

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

This product has no known ecotoxicological effects.

Component:

bis(tridecyl) adipate Toxicity to daphnia and other aquatic invertebrates: 16958-92-2

static test EC50

Species: Daphnia magna (Water flea)

Dose: 4.800 mg/l Exposure time: 24 h

Method: OECD Test Guideline 202

Benzenamine, N-phenyl-, reaction products

with 2,4,4-trimethylpentene

68411-46-1

Toxicity to fish:

LC50

Species: Danio rerio (zebra fish)

Dose: > 71 mg/l Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates:

EC50

Species: Daphnia magna (Water flea)

Dose: 51 mg/l Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae:

EbC50

Species: Desmodesmus subspicatus (green algae)

Dose: > 100 mg/l

Version:	1.0
Revision Date:	2018.05.1
Print Date:	2018.05.1

Exposure time: 72 h

#### Additional ecological information:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Do not allow material to contaminate ground water system.

Do not flush into surface water or sanitary sewer system.

N-1-naphthylaniline 90-30-2

triphenyl phosphate

115-86-6

Toxicity to fish:

semi-static test LC50

Species: Oncorhynchus mykiss (rainbow trout)

Dose: 0,44 mg/l Exposure time: 96 h Analytical monitoring: yes

Method:

Toxicity to daphnia and other aquatic invertebrates:

semi-static test EC50

Species: Daphnia magna (Water flea)

Dose: 0,68 mg/l Exposure time: 48 h Analytical monitoring: yes

Toxicity to bacteria:

EC50

Species: Protozoa Dose: 2 mg/l Exposure time: 48 h

Toxicity to bacteria:

EC50

Species: Bacteria Dose: > 10.000 mg/l Exposure time: 3 h

Toxicity to daphnia and other aquatic invertebrates Chronic toxicity:

NOEC

Species: Daphnia magna (Water flea)

Concentration: 0,02 mg/l Exposure time: 21 d Analytical monitoring: yes

Toxicity to fish:

static test LC50

Species: Lepomis macrochirus (Bluegill sunfish)

Dose: 0,78 mg/l Exposure time: 96 h

Method:

Toxicity to fish:

static test LC50

Species: Oryzias latipes (Orange-red killifish)

Dose: 1,2 mg/l Exposure time: 96 h

Method:

Toxicity to daphnia and other aquatic invertebrates:

EC50

Species: Daphnia magna (Water flea)

Dose: 1 mg/l Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates:

EC50 Species:

Dose: 0,36 mg/l Exposure time: 48 h

Toxicity to algae:
Growth inhibitionNOEC

Version:	1.0
Revision Date:	2018.05.1
Print Date:	2018.05.1

Species: Green algae (Scenedesmus subspicatus)

Dose: 0,25 - 2,5 mg/l Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish Chronic toxicity:

NOEC

Species: Oncorhynchus mykiss (rainbow trout)

Concentration: 0,03 mg/l Exposure time: 30 d

diphenylamine Toxicity to fish: 122-39-4 LC50

Species: Oncorhynchus mykiss (rainbow trout)

Dose: 2,2 mg/l Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates:

EC50

Species: Daphnia magna (Water flea)

Dose: 1,2 mg/l Exposure time: 48 h

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Further information : Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water courses or the soil.

In accordance with local and national regulations.

Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Dispose of as unused product.

Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Do not re-use empty containers.

# **SECTION 14. TRANSPORT INFORMATION**

#### **ADR**

Not dangerous goods

#### **IATA**

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### **RID**

Not dangerous goods

Version:	1.0
Revision Date:	2018.05.1
Print Date:	2018.05.1

Not classified as dangerous in the meaning of transport regulations.

## **SECTION 15. REGULATORY INFORMATION**

# The components of this product are reported in the following inventories:

US.TSCA On TSCA Inventory

All components of this product are on the Canadian DSL.

AICS
On the inventory, or in compliance with the inventory

NZIOC
On the inventory, or in compliance with the inventory

ENCS
On the inventory, or in compliance with the inventory

KECI
On the inventory, or in compliance with the inventory

On the inventory, or in compliance with the inventory

PICCS
On the inventory, or in compliance with the inventory

IECSC
On the inventory, or in compliance with the inventory

## **SECTION 16. OTHER INFORMATION**

## **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.